



Trying To End
Unplanned
Pregnancy?

Unplanned Pregnancy

- Almost half of pregnancies every year are either unplanned or unwanted. An unwanted pregnancy certainly places a woman in a predicament.
- How she handles the situation will largely depend on her age, emotional stability, and support she receives during this difficult period.
- In some cases, the pregnancy may not be the only problem. Other factors, such as diseases, may further complicate the situation. Fortunately, most women today have quite a number of options when dealing with an unwanted pregnancy.
- Women in this situation need to know their available options and they must study each option carefully before making a final decision. Other factors, such as religious beliefs and existing laws may limit a woman's choices.



Why Do People Have Abortion?

While every person has unique reasons for seeking an abortion, researchers have found that those who've had the procedure report a number of common factors that influenced their decision.

- Financial reasons
- Not a good time
- Issues with partner

- Need to focus on other children
- Interferes with future plans
- Unprepared emotionally or mentally
- Health issue
- Unable to provide a “good” life
- Lack maturity or self-sufficiency
- Influence from family or friends
- Don’t want children
- Don't want to place baby for adoption



Best And Safest Way To Terminate The Early Pregnancy

- [Purchase Abortion Pill online](#) where Mifepristone is administered orally on Day 1 in the form of a 200 mg pill. The hormone progesterone, which your body needs to develop a pregnancy, is blocked by this medicine.
- Misoprostol, which dissolves in your cheek or vagina, is taken on days 2 or 3 of this period. You take four 800 mcg pills of misoprostol during this time. The pregnancy is forced out of your uterus as a result of this tablet.
- Follow-up from days 7 to 14 a follow-up appointment is required to ensure that you are not pregnant the mifepristone and misoprostol abortion pill combination for pregnancies that are less than 70 days (10 weeks) from your last period.
- Women should be permitted to self-manage their abortions at home using abortion pills for up to 12 weeks, from beginning to end.



Doses of medicine

- Take mifepristone by mouth as directed by your expert, usually as a single dose. After taking mifepristone, your professional should direct you to wait 24 to 48 hours before taking another tablet (misoprostol) by mouth as a single dose.
- The pill may not work as well if you take misoprostol sooner than 24 hours after taking mifepristone or later than 48 hours after taking mifepristone. Follow your healthcare expert instructions carefully.



Storage

- Store the medicine in a closed container at room temperature, away from heat, moisture, and direct light. Keep from freezing.
- Keep out of the reach of children.
- Do not keep outdated medicine or medicine no longer needed.
- Ask your healthcare professional how you should dispose of any medicine you do not use.



Benefits of the MTP kit

Undergoing an abortion is a personal choice. MTP kit helps treat unwanted pregnancy and also involves benefits as follows:

- It can be used in the early weeks of pregnancy (less than nine weeks)
- No need for anaesthesia and surgery
- More privacy
- Feels natural for a few women
- Offers more control over their body

Health Solution Blogs

Health Solution Blogs provide details regarding various treatments and healthcare services. As some of the topics we cover in our health-related blogs, we offer haircare, beauty (skin and eyelashes), weight reduction, health (diabetes, sleeping issues, and pain, etc.), women's health (abortion & birth control), and men's health (ED).

Contact Us

- You can visit our website <https://healthsolutionblogs.com>
- We provide health-related blogs like hair care, skin care, weight loss, etc.
- For more Information mail us at info@healthsolutionblogs.com
- You can contact us at +1 321 200 0062



Thank You!